


INSTALLATION MANUAL

For the most current release of this manual,
please visit our website at cogan.com

V.2014.1



2 sizes available
adjustable from 24" to 36"
and from 33" to 48"

Product	Guardrail / Mezzanine
Sub-product	Self closing security gate

- Two gates dimension available : adjustable from 24" to 36" or from 33" to 48" (exact width of gate).

- Easy installation by using simple nuts and "U" bolts when used with staircase, ladder, and pedestrian guardrail.

- Easy installation by using a flat connection plate when used with heavy-duty guardrail.

- Reversible design allowing to swing left or right.

© 2014 Cogan Wire and Metal Products Ltd., all rights reserved.




A Tradition of Quality Since 1901

cogan.com


Mezzanine ladder installation

(The top of the gate must be 44" high from the ground)




Mezzanine staircase installation

(The top of the gate must be between 41" - 42" high from the top of the deck)




Heavy-duty guardrail installation



$\varnothing 1/2"$ x 7"
carriage bolt



$\varnothing 1/4"$ x 3/4"
carriage bolt



 Always install the connection flat piece on the inside part of the heavy-duty guardrail post

Pedestrian barrier installation

(The top of the gate must be 42" high from the ground)



 Always install the spring brackets on the outside part of the pedestrian post