




cogan.com



POSTS - FREESTANDING


Description

This partition system features freestanding posts 7′, 8′ and 9′ high. Standard post spacing is 2′ to 8′ center-to-center. Custom post spacing is also available. Ideal for creating a secured perimeter in any manufacturing or warehouse facility. Top panels are made of 3/16″ thick clear Lexan and the bottom panels are made of heavy-duty 16GA corrugated steel framed in 1 1/4″ x 1 1/4″ x 12GA structural angle.

PRODUCT INFORMATION

This partition system features freestanding posts 7′, 8′ and 9′ high. Standard post spacing is 2′ to 8′ center-to-center. Custom post spacing is also available. Ideal for creating a secured perimeter in any manufacturing or warehouse facility.

Specifications



LEXAN AND SHEET METAL

cogan.com

DETAILS

Posts are made of 2" x 2" x 16GA seam welded square tube. Baseplates are made of $6" \times 6" \times 1/4"$ steel plate and punched with four holes for anchor bolts.

Anchors are sold separately as an accessory. 2" x 2" Wall Post 2" x 2" Line Post 2" x 2" Corner Post Baseplate Baseplate Baseplates height Corner posts Line posts height Wall posts height are punched are punched are punched on 1 axis on 2 axis on 1 axis WALL POST 8' max height See Gates section Standard post spacing for more information is 2' to 8' C/C. Custom post spacing is also available. LINE POST CORNER POST