


SINGLE SLIDING GATE

EXAMPLE:

Typical 4'W x 8'H sliding gate shown here.

Panel configuration and quantity will vary based on gate dimensions.

Assembly instructions are specific to the size and material of your gate. See Installation Manual for complete details.



Description

Sliding security gates allow you to have a door opening in constricted areas. With a wide selection of dimensions, sliding gates are ideal for heavy or large equipment and storage access. All sliding gates are equipped with a padlock hasp. Additional lock options are also available. Doors are made of 3/16" thick clear Lexan and heavy-duty 16GA corrugated steel frame 1 1/4" x 1 1/4" x 12GA structural angle.


PRODUCT INFORMATION

Specifications


Door Heights	7' to 9'
Type of Door	Single Sliding Gate
Door Stop	Attached to the Post.
Finish	Powder-coated
Materials	16GA Corrugated Sheet Metal and Lexan
Frame Material	Structural Angle 1 1/4" x 1 1/4" x 12GA
Type of Closure	Padlock Hasp (Optional locks available)
Stiffening profile	None

ORIENTATION OF GATE OPENING

Opening at Left



Opening at Right




COLORS 

Cogan Grey

3/16" thick clear Lexan
 Lexan panels cannot be painted.

SIZES


Please consult the table below for a complete list of dimensions.



H \ W	3'-0"	4'-0"	5'-0"	6'-0"	7'-0"	8'-0"
7'-0"	✓	✓	✓	✓	✓	✓
8'-0"	✓	✓	✓	✓	✓	✓
8'-0" + 1'-0" Transom	✓	✓	✓	✓	✓	✓

✓ Indicates gate dimension is available.

— Indicates gate dimension is **not** available.



Track:
Galvanized track
and hangers.

LOCK OPTIONS

Below are the standard lock options for our partition security gates. Choose between a latch and key, or keys on both sides for added security. Panic bars are not available for single sliding gate.

